



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/087,672	02/27/2002	Jered Donald Aasheim	MS1-1026US	6395
22801	7590	01/12/2007	EXAMINER	
LEE & HAYES PLLC 421 W RIVERSIDE AVENUE SUITE 500 SPOKANE, WA 99201			PATEL, HETUL B	
			ART UNIT	PAPER NUMBER
			2186	
SHORTENED STATUTORY PERIOD OF RESPONSE		NOTIFICATION DATE	DELIVERY MODE	
3 MONTHS		01/12/2007	ELECTRONIC	

Please find below and/or attached an Office communication concerning this application or proceeding.

If NO period for reply is specified above, the maximum statutory period will apply and will expire 6 MONTHS from the mailing date of this communication.

Notice of this Office communication was sent electronically on the above-indicated "Notification Date" and has a shortened statutory period for reply of 3 MONTHS from 01/12/2007.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

lhptoms@leehayes.com

Office Action Summary	Application No.	Applicant(s)	
	10/087,672	AASHEIM ET AL.	
	Examiner	Art Unit	
	Hetul Patel	2186	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 03 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 21 December 2006.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1,3-11,13-19,21-26,28-34 and 36-44 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1,3-11,13-19,21-26,28-34 and 36-44 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☒ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| Paper No(s)/Mail Date <u>12/21/2006</u> . | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Continued Examination Under 37 CFR 1.114

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on December 21, 2006 has been entered and carefully considered.

2. Claims 1, 9, 16, 23, 33 and 41-44 are amended; and claims 2, 12, 20, 27 and 35 were previously cancelled. Therefore, claims 1, 3-11, 13-19, 21-26, 28-34 and 36-44 are currently pending in this application.

3. Applicant's arguments filed on December 21, 2006 have been considered but are moot in view of the new ground(s) of rejection.

Specification

4. The specification is objected to as failing to provide proper antecedent basis for the claimed subject matter. See 37 CFR 1.75(d)(1) and MPEP § 608.01(o). Correction of the following is required: The clear support and antecedent basis is not found for the term "a tangible computer-readable media" in the specification of the current application in such a way so that the meaning of the terms in the claims may be ascertainable by reference to the description.

Claim Rejections - 35 USC § 101

35 U.S.C. 101 reads as follows:

Whoever invents or discovers any new and useful process, machine, manufacture, or composition of matter, or any new and useful improvement thereof, may obtain a patent therefor, subject to the conditions and requirements of this title.

5. Claim 41 is rejected under 35 U.S.C. 101 because the claimed invention is directed to non-statutory subject matter.

Claim 41 directed to a computer readable media including modulated data signals as exemplified on page 32, lines 12-17. This subject matter does not fall within a statutory category of invention because it is neither a process, machine, manufacture, nor a composition of matter. Instead, it is directed to a form of energy. Forms of energy do not fall within a statutory category since they are clearly not a series of steps or acts to constitute a machine, not a tangible physical article or object which is some form of matter to be a product and constitute a manufacture, and not a composition of two or more substances to constitute a composition of matter.

Claim Rejections - 35 USC § 112

The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

6. Claim 41 is rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

7. Claim 41 is rejected under 35 U.S.C. 112, second paragraph because a person of skill in the art would not be able to ascertain the metes and bound of the claimed invention, specifically, for the term “a tangible computer-readable media/medium” used in the claim 41.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

8. Claims 1, 5-11, 15-18, 22-25, 29-33 and 37-44 are rejected under 35 U.S.C. 103(a) as being unpatentable over Ban (USPN: 5,799,168) in view of Sinclair et al. (USPN: 6,725,321) hereinafter, Sinclair further in view of Blumenau (USPN: 5,875,478).

As per claim 1, Ban teaches that one or more computer-readable media (the combination of flash array and standardized flash controller in Fig. 1) comprising a flash memory driver (the standardized flash controller in Fig. 1; i.e. the group of interfaces/controllers, between the CPU and the flash memory) that is executable by a computer to interface between a file system and one or more flash memory media, the flash memory driver comprising: flash abstraction logic (i.e. the group of interfaces/controllers, between the CPU and the flash memory) and invocable by the file system to manage flash memory operations without regard to the type of the one or more flash memory media (e.g. see Col. 2, lines 36-38); and flash media logic (a simple

discrete logic or interface) configured to interact with different types of the flash memory media (any flash chip); wherein the flash abstraction logic invokes the flash media logic to perform memory operations (generic commands) that are potentially performed in different ways depending on the type of the flash memory media (e.g. see the abstract, Col. 2, lines 36-48; Col. 4, lines 33-39, 61-65 and claim 2). The further limitation of the flash memory driver is having flash memory medium agnostic is also taught by Ban, i.e. Ban also teaches that the flash memory driver, i.e. the whole group of interfaces/controllers, between the CPU and the flash memory (e.g. see Fig. 2). Therefore, even though a unique controller is being placed on each individual flash chip, "the group of interfaces/controller" as a whole manages flash memory operations without regard to the type of the one or more flash memory media as being claimed. Ban also teaches that the flash driver (the standardized flash controller in Fig. 1) is located remotely from the flash memory medium (i.e. the flash array in Fig. 1) (e.g. see Fig. 1).

However, Ban failed to teach that one of the flash memory operations includes performing wear-leveling operations associated with the flash memory medium by way of circular and continuous advancement of a write pointer. Sinclair, on the other hand, teaches about performing the wear-level operation in the flash memory by using the cyclic write pointer and single sector write management (e.g. see Col. 13, lines 46-55). Accordingly, it would have been obvious to one of ordinary skill in the art at the time of the current invention was made to implement the teachings of Sinclair in the flash

memory driver taught by Ban so the uniform wear leveling throughout the flash medium can be achieved.

Neither Ban nor Sinclair teaches the further limitation of having the flash memory driver residing as a component within the operating system of the computer system. Blumenau, however, teaches about storing the storage drivers as a component within the operating system (OS) (e.g. see Col. 3, lines 6-15). Accordingly, it would have been obvious to one of ordinary skill in the art at the time of the current invention was made to include the flash memory driver taught by the combination of Ban and Sinclair within the OS as taught by Blumenau. In doing so, the different flash memory drivers can be included as a part of the OS without installing additional hardware. Therefore, the cost of hardware relative to the software driver and the size of the system the portability are reduced. Furthermore, the software drivers can be modified/added from the remote location.

As per claims 5 and 6, the combination of Ban, Sinclair and Blumenau teaches the claimed invention as described above and furthermore, Ban teaches the flash memory driver, wherein one of the flash memory operations includes mapping status information associated with physical sectors of the flash memory medium for use by the file system, i.e. translating commands from/to physical sectors of the flash memory medium to/from commands for used in the file system (CPU) (e.g. see Col. 5, lines 29-37).

As per claim 7, the combination of Ban, Sinclair and Blumenau teaches the claimed invention as described above and furthermore, Ban teaches the flash memory

driver, wherein the flash medium logic (simple discrete logic) is a user programmable to read, write and erase data to and from the flash memory medium (e.g. see Col. 3, line 49 – Col. 4, line 13).

As per claim 8, the combination of Ban, Sinclair and Blumenau teaches the claimed invention as described above and furthermore, Sinclair teaches that the flash media logic (i.e. the controller chip 8 in Fig. 2) is configured to perform the error code correction (ECC) associated with the flash memory media (e.g. see Col. 11, lines 3-7 and Fig. 2).

As per claim 17, the combination of Ban, Sinclair and Blumenau teaches the claimed invention as described above and furthermore, Ban teaches that the flash abstraction logic that is interface/controller, between the CPU and the flash memory, passes specific commands associated with certain types of flash memory media directly to the flash medium logic (a simple discrete logic or interface) for translation and further execution (e.g. see Col. 2, lines 36-48 and Fig. 1).

As per claims 23 and 29, the combination of Ban and Sinclair teaches a processing device that uses a flash memory medium for storage of data, comprising: a file system (the flash file system), configured to control data storage for the processing device (i.e. the CPU in Fig. 1) (e.g. see Col. 2, lines 17-23); flash media logic (a simple discrete logic or interface which comprises the command register) configured to perform physical sector operations to a flash memory medium based on physical sector commands, wherein the flash medium logic comprises a set of programmable entry points that can be implemented by a user to interface with the type of flash memory

medium selected (e.g. see Col. 3, lines 15-24); and flash abstraction logic that is interface/controller, between the CPU and the flash memory, configured to maintain flash memory requirements, which are common to a plurality of different flash memory media, that are necessary to operate the flash memory medium (e.g. see Col. 2, lines 36-48 and Fig. 1).

Neither Ban nor Sinclair teaches the further limitation of having the flash memory driver residing as a component within the operating system of the computer system. Blumenau, however, teaches about storing the storage drivers as a component within the operating system (OS) (e.g. see Col. 3, lines 6-15). Accordingly, it would have been obvious to one of ordinary skill in the art at the time of the current invention was made to include the flash memory driver taught by the combination of Ban and Sinclair within the OS as taught by Blumenau. In doing so, the different flash memory drivers can be included as a part of the OS without installing additional hardware. Therefore, the cost of hardware relative to the software driver and the size of the system the portability are reduced. Furthermore, the software drivers can be modified/added from the remote location.

As per claim 40, the combination of Ban, Sinclair and Blumenau teaches the claimed invention as described above and furthermore, Ban teaches that the method further comprises receiving read and write commands from a file system that is inherently embedded in the controller taught by Ban (e.g. see Col. 1, lines 35-39 and Col. 2, lines 40-44).

As per claim 41, the combination of Ban, Sinclair and Blumenau teaches the claimed invention as described above and furthermore, Ban teaches that one or more computer-readable media (the combination of flash array and standardized flash controller in Fig. 1) comprising computer-executable instructions (commands stored in the command register) that, when executed, perform the method as taught by Ban (e.g. see Col. 3, lines 15-24 and Fig. 1).

As per claims 15, 30 and 38, see argument with respect to the rejection of claim 8. Claims 15, 30 and 38 are rejected based on the same rationale as the rejection of claim 8.

As per claims 9, 18, 25 and 42-43, see argument with respect to the rejection of claim 1. Claims 9, 18, 25 and 42-43 are rejected based on the same rationale as the rejection of claim 1.

As per claims 11, 31 and 37, see argument with respect to the rejection of claim 6. Claims 11, 31 and 37 are rejected based on the same rationale as the rejection of claim 6.

As per claims 10, 22, 32, 39 and 44, see argument with respect to the rejection of claim 7. Claims 10, 22, 32, 39 and 44 are rejected based on the same rationale as the rejection of claim 7.

As per claim 16, see argument with respect to the rejection of claims 1 and 7. Claim 16 is rejected based on the same rationale as the rejection of claims 1 and 7.

As per claim 24, see argument with respect to the rejection of claim 17. Claim 24 is rejected based on the same rationale as the rejection of claim 17.

As per claim 33, see argument with respect to the rejection of claims 16 and 17. Claim 33 is rejected based on the same rationale as the rejection of claims 16 and 17.

9. Claims 3-4, 13-14, 19, 21, 26, 28, 34 and 36 are rejected under 35 U.S.C. 103(a) as being unpatentable over Ban in view of Sinclair, in view of Blumenau and further in view of Martwick (USPN: 6,493,807).

As per claims 3 and 4, the combination of Ban, Sinclair and Blumenau teaches the claimed invention as described above. However, none of Ban, Sinclair and Blumenau teaches that one of the flash memory operations includes maintaining data integrity of the flash memory medium and handling recovery of data associated with the flash memory medium after a power-failure. Martwick, on the other hand, teaches the method for updating the flash blocks so the data integrity gets maintained and the data can be recovered upon a power failure (e.g. see Col. 3, lines 37-39). Accordingly, it would have been obvious to one of ordinary skill in the art at the time of the current invention was made to implement the method of updating the flash blocks as taught by Martwick in the flash memory driver taught by the combination of Ban, Sinclair and Blumenau to recognize the benefits as stated above.

Claims 13-14, 19, 21, 26, 28, 34 and 36 are rejected based on the same rationale as the rejection of claims 3 and 4.

Art Unit: 2186

10. Claims 1, 5-11, 15-18, 22-25, 29-33 and 37-44 are rejected under 35 U.S.C. 103(a) as being unpatentable over Ban in view of Sinclair, in view of Hall (USPN: 6,253,281) and further in view of Blumenau.

As per claim 1, Ban teaches that one or more computer-readable media (the combination of flash array and standardized flash controller in Fig. 1) comprising a flash memory driver (the standardized flash controller in Fig. 1) that is executable by a computer to interface between a file system and one or more flash memory media, the flash memory driver comprising: flash abstraction logic (i.e. the group of interfaces/controllers, between the CPU and the flash memory) that is invocable by the file system to manage flash memory operations (e.g. see Col. 2, lines 36-38); and flash media logic (a simple discrete logic or interface); wherein the flash abstraction logic invokes the flash media logic to perform memory operations (generic commands (e.g. see the abstract, Col. 2, lines 36-48; Col. 4, lines 33-39, 61-65 and claim 2). However, Ban failed to teach that one of the flash memory operations includes performing wear-leveling operations associated with the flash memory medium by way of circular and continuous advancement of a write pointer. Sinclair, on the other hand, teaches about performing the wear-level operation in the flash memory by using the cyclic write pointer and single sector write management (e.g. see Col. 13, lines 46-55). Accordingly, it would have been obvious to one of ordinary skill in the art at the time of the current invention was made to implement the teachings of Sinclair in the flash memory driver taught by Ban so the uniform wear leveling throughout the flash medium can be achieved.

Although Examiner is totally disagree but just for the sake of argument, even if Ban fails to teach (a) the flash abstraction logic manages flash memory operations without regard to the type of the one or more flash memory media; (b) the flash media logic configured to interact with different types of the flash memory media; and (c) the flash abstraction logic invokes the flash media logic to perform memory operations that are potentially performed in different ways depending on the type of the flash memory media, Hall teaches these limitations. Hall teaches that the flash abstraction logic (i.e. the code in the system controller 1 in Fig. 1) manages flash memory operations without regard to the type of the one or more flash memory media (i.e. 22 in Fig. 1), i.e. the flash memory driver is flash memory medium agnostic. Furthermore, Hall teaches the flash media logic (i.e. the system controller 1 in Fig. 1) that is configured to interact with different types of the flash memory media; and the flash abstraction logic invokes the flash media logic to perform memory operations that are potentially performed in different ways depending on the type of the flash memory media (e.g. see Col. 5, lines 31-48). Hall also teaches that the flash driver (i.e. the code in the system controller 1 in Fig. 1) is located remotely from the flash memory medium (i.e. 22 in Fig. 1) (e.g. see Fig. 1). Accordingly, it would have been obvious to one of ordinary skill in the art at the time of the current invention was made to implement the teachings of Hall in the flash memory driver taught by the combination of Ban and Sinclair. In doing so, it will be appreciated by those skilled in the art that FLASH memories produced by different manufacturers require different operations to erase and/or write data to them and these sequences are stored for a number of different memories within the microcontroller

ROM. Thus the disc drive manufacturer is not confined to a single FLASH memory type and the micro controller does not have to be reprogrammed if a different type of FLASH memory is used.

None of Ban, Sinclair and Hall teaches the further limitation of having the flash memory driver residing as a component within the operating system of the computer system. Blumenau, however, teaches about storing the storage drivers as a component within the operating system (OS) (e.g. see Col. 3, lines 6-15). Accordingly, it would have been obvious to one of ordinary skill in the art at the time of the current invention was made to include the flash memory driver taught by the combination of Ban, Sinclair and Hall within the OS as taught by Blumenau. In doing so, the different flash memory drivers can be included as a part of the OS without installing additional hardware. Therefore, the cost of hardware relative to the software driver and the size of the system the portability are reduced. Furthermore, the software drivers can be modified/added from the remote location.

As per claims 5 and 6, the combination of Ban, Sinclair, Hall and Blumenau teaches the claimed invention as described above and furthermore, Ban teaches the flash memory driver, wherein one of the flash memory operations includes mapping status information associated with physical sectors of the flash memory medium for use by the file system, i.e. translating commands from/to physical sectors of the flash memory medium to/from commands for used in the file system (CPU) (e.g. see Col. 5, lines 29-37).

As per claim 7, the combination of Ban, Sinclair, Hall and Blumenau teaches the claimed invention as described above and furthermore, Ban teaches the flash memory driver, wherein the flash medium logic (simple discrete logic) is a user programmable to read, write and erase data to and from the flash memory medium (e.g. see Col. 3, line 49 – Col. 4, line 13).

As per claim 8, the combination of Ban, Sinclair, Hall and Blumenau teaches the claimed invention as described above and furthermore, Sinclair teaches that the flash media logic (i.e. the controller chip 8 in Fig. 2) is configured to perform the error code correction (ECC) associated with the flash memory media (e.g. see Col. 11, lines 3-7 and Fig. 2).

As per claim 17, the combination of Ban, Sinclair, Hall and Blumenau teaches the claimed invention as described above and furthermore, Ban teaches that the flash abstraction logic that is interface/controller, between the CPU and the flash memory, passes specific commands associated with certain types of flash memory media directly to the flash medium logic (a simple discrete logic or interface) for translation and further execution (e.g. see Col. 2, lines 36-48 and Fig. 1).

As per claims 23 and 29, the combination of Ban, Sinclair and Hall teaches a processing device that uses a flash memory medium for storage of data, comprising: a file system (the flash file system), configured to control data storage for the processing device (i.e. the CPU in Fig. 1) (e.g. see Col. 2, lines 17-23); flash media logic (a simple discrete logic or interface which comprises the command register) configured to perform physical sector operations to a flash memory medium based on physical sector

commands, wherein the flash medium logic comprises a set of programmable entry points that can be implemented by a user to interface with the type of flash memory medium selected (e.g. see Col. 3, lines 15-24); and flash abstraction logic that is interface/controller, between the CPU and the flash memory, configured to maintain flash memory requirements, which are common to a plurality of different flash memory media, that are necessary to operate the flash memory medium (e.g. see Col. 2, lines 36-48 and Fig. 1).

None of Ban, Sinclair and Hall teaches the further limitation of having the flash memory driver residing as a component within the operating system of the computer system. Blumenau, however, teaches about storing the storage drivers as a component within the operating system (OS) (e.g. see Col. 3, lines 6-15). Accordingly, it would have been obvious to one of ordinary skill in the art at the time of the current invention was made to include the flash memory driver taught by the combination of Ban, Sinclair and Hall within the OS as taught by Blumenau. In doing so, the different flash memory drivers can be included as a part of the OS without installing additional hardware. Therefore, the cost of hardware relative to the software driver and the size of the system the portability are reduced. Furthermore, the software drivers can be modified/added from the remote location.

As per claim 40, the combination of Ban, Sinclair, Hall and Blumenau teaches the claimed invention as described above and furthermore, Ban teaches that the method further comprises receiving read and write commands from a file system that is

inherently embedded in the controller taught by Ban (e.g. see Col. 1, lines 35-39 and Col. 2, lines 40-44).

As per claim 41, the combination of Ban, Sinclair, Hall and Blumenau teaches the claimed invention as described above and furthermore, Ban teaches that one or more computer-readable media (the combination of flash array and standardized flash controller in Fig. 1) comprising computer-executable instructions (commands stored in the command register) that, when executed, perform the method as taught by Ban (e.g. see Col. 3, lines 15-24 and Fig. 1).

As per claims 15, 30 and 38, see argument with respect to the rejection of claim 8. Claims 15, 30 and 38 are rejected based on the same rationale as the rejection of claim 8.

As per claims 9, 18, 25 and 42-43, see argument with respect to the rejection of claim 1. Claims 9, 18, 25 and 42-43 are rejected based on the same rationale as the rejection of claim 1.

As per claims 11, 31 and 37, see argument with respect to the rejection of claim 6. Claims 11, 31 and 37 are rejected based on the same rationale as the rejection of claim 6.

As per claims 10, 22, 32, 39 and 44, see argument with respect to the rejection of claim 7. Claims 10, 22, 32, 39 and 44 are rejected based on the same rationale as the rejection of claim 7.

As per claim 16, see argument with respect to the rejection of claims 1 and 7. Claim 16 is rejected based on the same rationale as the rejection of claims 1 and 7.

As per claim 24, see argument with respect to the rejection of claim 17. Claim 24 is rejected based on the same rationale as the rejection of claim 17.

As per claim 33, see argument with respect to the rejection of claims 16 and 17. Claim 33 is rejected based on the same rationale as the rejection of claims 16 and 17.

11. Claims 3-4, 13-14, 19, 21, 26, 28, 34 and 36 are rejected under 35 U.S.C. 103(a) as being unpatentable over Ban in view of Sinclair, further in view of Hall, further in view of Blumenau and further in view of Martwick (USPN: 6,493,807).

As per claims 3 and 4, the combination of Ban, Sinclair, Hall and Blumenau teaches the claimed invention as described above. However, none of Ban, Sinclair, Blumenau and Hall teaches that one of the flash memory operations includes maintaining data integrity of the flash memory medium and handling recovery of data associated with the flash memory medium after a power-failure. Martwick, on the other hand, teaches the method for updating the flash blocks so the data integrity gets maintained and the data can be recovered upon a power failure (e.g. see Col. 3, lines 37-39). Accordingly, it would have been obvious to one of ordinary skill in the art at the time of the current invention was made to implement the method of updating the flash blocks as taught by Martwick in the flash memory driver taught by the combination of Ban, Sinclair, Blumenau and Hall to recognize the benefits as stated above.

Claims 13-14, 19, 21, 26, 28, 34 and 36 are rejected based on the same rationale as the rejection of claims 3 and 4.

Conclusion

12. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

- Ishi et al. (USPN: 5,867,428) teaches about combining the memory driver into the OS (e.g. see Col. 17, lines 52-59)
- Krithivas et al. (USPN: 6,067,628) also teaches about including the filter driver, USB drivers and USB hub driver in the operating system (e.g. see Col. 4, lines 38-42)

13. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Hetul Patel whose telephone number is 571-272-4184. The examiner can normally be reached on M-F 8-4:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Matt Kim can be reached on 571-272-4182. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

H.B. Patel 12/28/2006
Hetul Patel
Patent Examiner
Art Unit 2186